

TOSHIBA

e-STUDIO2329A

e-STUDIO2829A

Product brochure

- Benefit from these two highly reliable and robust monochrome A3 systems with speeds of 23 or 28 pages per minute.
- Based on sophisticated technology the e-STUDIO2329A/2829A easily integrate into networks, support mobile printing and are intuitive to use.
- Designed to meet the highest environmental standards, both models help save valuable resources.



**TOGETHER
INFORMATION**

Benefits

All in one

The versatile monochrome systems e-STUDIO2329A/2829A offer print, colour scan, copy and optionally fax. They can meet all demands of a modern office environment including printing from and scan to mobile devices.

With an output speed of 23 or 28 pages per minute and as many as up to five different paper sources these models are capable of supporting an entire workgroup. The total paper capacity of up to 1,700 sheets for A5 to A3 formats ensures smooth operation without the need to constantly add paper.

Connectivity

Both systems can easily be integrated into existing networks. The standard network capability can be extended with the optional Wireless LAN module, which gives you more flexibility.

Various colour scan functions, such as Scan to USB, Scan to E-Mail or Scan to Folder, let you easily share and manage your electronic documents.

Ease-of-use

The intuitive user interface provides highest possible efficiency when operating the new systems. Logical key configuration and a clearly structured menu allow users to enjoy all benefits right from the start.

We are aware that each company has individual needs and requirements. Therefore, the e-STUDIO2329A/2829A were designed to adjust to your demands. Thanks to a flexible configuration they offer optimal efficiency.

Benefit from the outstanding reliability and durability of these multitasking systems.



Configuration



Specifications

General

| | |
|--------------------------------|---|
| Print & Copy Speed | A4: 23/28 ppm A3: 14/14 ppm |
| Warm-up Time | ~ 15 seconds |
| Paper Size & Weight | Cassette: A5R-A3, 64-80 g/m ² Bypass: A5R-A3, 52-216 g/m ² |
| Paper Capacity | Cassette: 1x 250 sheets, Bypass: 1x 100 sheets Max. 1,700 sheets |
| Inner Output Tray | 100-sheet capacity |
| Automatic Duplex | A5R-A3, 64-80 g/m ² |
| Memory | 512 MB RAM |
| Interface | 10Base-T/100Base-TX (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n) |
| Dimensions & Weight | 575 x 540 x 402 mm (W x D x H), ~ 25.5 kg |
| Initial Consumables | Toner, Drum, Developer |

Print

| | |
|----------------------------------|--|
| Resolution | Max. 2,400 x 600 dpi with smoothing |
| Page Description Language | PCL 5e & 6 and PostScript 3 ¹⁾ compatible |
| Supported Systems | Windows 10/8.1/7/Server 2008 SP2 (32/64 bit), Windows Server 2016/Server 2012/Server 2008 R2 SP1 (64 bit), Mac OS 10.11-10.14, Unix/Linux |
| Print Functions | Universal Printer Driver, Print from USB, Multiple pages per sheet, Toner save mode |

Scan

| | |
|-----------------------|---|
| Resolution | Max. 600 x 600 dpi |
| Scan Speed | Monochrome/Colour: 25/18 ipm (300 dpi) |
| Scan Modes | Colour, Greyscale, Monochrome |
| File Formats | JPEG, Multi/Single Page TIFF/PDF (via e-STUDIO Scan Editor) |
| Scan Functions | Scan templates, Scan to USB, Scan to E-Mail, TWAIN, Scan to Mobile |

Copy

| | |
|-------------------------------|--|
| Resolution | Scan: 600 x 600 dpi Print: 2,400 x 600 dpi with smoothing |
| First Copy Output Time | ~ 6.4 seconds |
| Zoom | Platen: 25-400%, RADF ¹⁾ : 25-400% |
| Copy Modes | Text, Text/Photo, Photo, Background erase |
| Copy Functions | Copy templates, Electronic Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode, Auto sort ²⁾ |

Fax¹⁾

| | |
|---------------------------|--|
| Communication | Super G3, G3 |
| Transmission Speed | ~ 3 seconds per page |
| Compression | JBIG, MMR, MR, MH |
| Fax Memory | 6 MB Transmission/Reception |
| Network Fax | Driver for Windows 10/8.1/7 SP1/Server 2008 SP2 (32/64 bit), Windows Server 2016/Server 2012/Server 2008 R2 SP1 (64 bit) |
| Fax Functions | One-touch dialing (5 keys), Group dialing |

System & Security

| | |
|----------------------------------|--|
| Device Management | TopAccess for remote administration and configuration |
| System Features | Internal toner recycling, Energy-saving modes |
| Accounting & Security | 100 department codes, IP and MAC address filter, SSL support |

Options

| | |
|---|--|
| RADF | 50-sheet capacity, A5R-A3, 50-104 g/m ² |
| Paper Feed Unit | 1x 250-sheet capacity, A5R-A3, 64-80 g/m ² |
| Paper Feed Pedestal | 1x 550-sheet capacity, A5R-A3, 64-80 g/m ² |
| Drawer Module | For Paper Feed Pedestal 550-sheet capacity, A5R-A3, 64-80 g/m ² |
| Desk | |
| Fax Board | |
| Wireless LAN Module | |
| PostScript Module | Including 512 MB memory |
| e-BRIDGE Print & Capture App | |
| e-BRIDGE Print & Capture Entry App | |



¹⁾ Optional

²⁾ Requires RADF

About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone


+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu



Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

